PQ FOOTWEAR PRODUCTS COLLECTION 2025

THE BEST IN BOOTS





SERVUS

PQ Footwear, LLC



Photography partner: CXG | contentEXP Group



ALL OUR PVC COMPOUND IS:

PROP 65 COMPLIANT

PROTECTION KEY Look for icons for each boot that correspond to a specific type of protection or industry.

PT	NON-SAFETY TOE FOOTWEAR	PR	PUNCTURE RESISTANT MIDSOLE	WP	WATERPROOF	CT	COMPOSITiON TOE
ST	STEEL TOE PROTECTION C	EH	ELECTRICAL HAZARD PROTECTION	SR	SLIP RESISTANTT		

SERVUS®

SERVUS WRK LT LIFE AND SERVUS WRK LT INDUSTRIAL

In a world where quality makes all the difference, the **SERVUS® WRK LT** series redefines the meaning of performance and comfort. Crafted with premium materials and cutting-edge technology, this line offers two models designed to tackle any challenge.

SERVUS® WRK LT LIFE: Lightweight, versatile, and made for those who never slow down. Ideal for dynamic workdays, providing flexibility without sacrificing durability.

SERVUS® WRK LT INDUSTRIAL: Power and protection without limits. Featuring an advanced chevron-patterned outsole for self-cleaning and superior traction in both indoor and outdoor environments. Its Nitrile-injected rubber outsole resists degradation from chemicals, oils, and acids, ensuring safety and durability in demanding conditions. The Composite Toe provides lightweight yet strong protection without compromising comfort.

When the job demands the best, **SERVUS® WRK LT** delivers quality, innovation, and comfort. Two solutions, one mission: **maximizing your performance.**



Photography partner: CXG | contentEXP Group

Weighing only 1.2 lbs per boot



PT EH WP SR

500121 EVA BOOTS

Olive 12 in.

»Plain toe EVA Boots

» Fits Men's Whole Sizes: 7-15



PT EH WP SR

500151 EVA BOOTS

Black, 15 in.

» Plain toe EVA Boots

» Fits men's whole sizes: 7-15



PT EH WP SR

500152 EVA BOOTS

Olive 15 in

» Plain toe EVA Boots

» Men's Whole Sizes: 7-15

SERVUS WRK LT LIFE FEATURES

- 100% waterproof seamless **EVA** construction
- Flexible and durable upper for ease in movement and greater worker comfort
- Reinforced construction at critical stress points for a durable, long-wearing boot
- Deep angle cleat outsole grips slick surfaces to prevent slips and falls
- **FOOT FORM** PU footbed contour cushion insoles; removable, washable, and replaceable
- Easy guide along the shaft to customize the boot height at your convenience



Photography partner: CXG | contentEXP Group



CT
EH
WP
SR

521121 EVA BOOTS

Navy, 12 in.

»Meets ASTM F2413-24 I/C EH SRO
» Men's Whole Sizes: 7-15
» Composite toe
» Nitrile Rubber Outsoles with Chevron Channels



CT
EH
WP
SR

521151 EVA BOOTS

Black, 15 in.

»Meets ASTM F2413-24 I/C EH SRO
» Men's Whole Sizes: 7-15
» Composite toe
» Nitrile Rubber Outsoles with Chevron Channels



CT
EH
WP
SR

521152 EVA BOOTS

Gray, 12 in.

»Meets ASTM F2413-24 I/C EH SRO
» Men's Whole Sizes: 7-15
» Composite toe
» Nitrile Rubber Outsoles with Chevron Channels

SERVUS WRK LT INDUSTRIAL FEATURES

- Lightweight (1.7 lbs per boot) custom-blended **EVA** material for flexibility and reduced fatigue and minimizing the risk of foot and back injuries
- Longer-lasting than standard EVA insoles.
- Exclusive temperature regulation for extreme weather.
- **Chevron "Channel"** outsole technology for superior slip resistance.
- Suitable for both indoor and outdoor use.
- Nitrile-injected outsole resistant to chemicals, oils, and acids.
- Industrial composite safety toe for protection.
- Eco-friendly manufacturing focused on water conservation.



Photography partner: CXG | contentEXP Group



The Lightest Boot we've made in over 100 years!

SERVUS WRK LT INDUSTRIAL

Photography partner: CXG | contentEXP Group



NEOPRENE DIPPED SAFETY FOOTWEAR

The engineering and construction of Servus® dipped neoprene work boots are highly specialized. Boots begin with hand laid natural rubber to ensure flexibility and strength at critical stress points. The boots are then triple-dipped in neoprene to create a seamless, liquid-tight boot. The outsole, foxing and top binding are added and the entire boot is vulcanized to heat-seal the boot together for a 100% seamless waterproof boot.

Photography partner: CXG | contentEXP Group

SERVUS®

NEOPRENE DIPPED SAFETY FOOTWEAR FEATURES

The following features apply to all boots in this series:

- 100% Waterproof seamless construction
- Unique dipping process makes boots soft and pliable for less leg fatigue
- Neoprene is highly resistant to many organic and inorganic acids, chemicals and contaminants
- Fabric linings are soft and durable
- Removable Breathaprene® insoles provide shock absorption and wick away moisture to keep workers' feet dry and comfortable



NEO-GRIP™ SOLING TECHNOLOGY

Neo-Grip™ is engineered to act as suction cups to improve slip resistance and provide confidence while walking on wet surfaces.

Neo-Grip™ outsoles are not recommended on surfaces with debris that can build up, clog the tread and cause slipping hazards.



22148

ST *Copper / Tan 12 in.*
EH » Meets ASTM F2413-18 M/I/C EH
WP » Men's whole sizes: 6-13



THE "V-WAVE" SOLING TECHNOLOGY

The "V" pattern features a self-cleaning, wide-pattern tread with open side wall channels to allow liquids and debris to be "squee-geed" out with each step.

V-Wave offers the best traction for areas with heavy debris often found in agricultural, food processing, petroleum and petrochemical environments.



22234

ST *Copper / Tan 15 in.*
EH » Gusseted for calf flexibility
WP » Meets ASTM F2413-18 M/I/C EH
» Men's whole sizes: 3-15



THE CHEVRON SOLING TECHNOLOGY

The chevron self-cleaning outsole offers a flat, surface-to-surface tread pattern for increased slip resistance on slick surfaces.

The open channels "squee-gee" liquids, fats and debris out with each step to help prevent slips and falls.



22214

ST *Copper / Tan 15 in.*
EH » Meets ASTM F2413-18 M/I/C EH
WP » Men's whole sizes: 3-15



22114

ST *Copper / Tan 12 in.*
EH » Meets ASTM F2413-18 M/I/C EH
WP » Men's whole sizes: 4-15



22206

ST *Copper / Tan 15 in.*
EH » Duraguard® metatarsal impact protection
WP » Meets ASTM F2413-18 M/I/C EH
MT » Men's whole sizes: 5-15



22215

PT *Copper / Tan 15 in.*
EH » Meets ASTM F2892-18 M EH
WP » Men's whole sizes: 4-14



22115

PT *Copper / Tan 12 in.*
EH » Meets ASTM F2892-18 M EH
WP » Men's whole sizes: 4-14

SERVUS PRO® AND SERVUS PRO+™

SERVUS PRO® SERVUS PRO+™

Servus Pro features TDT innovations and a compound blend engineered to withstand organic chemical deterioration common in meat processing and petrochemical industries.

Servus Pro+™ features TDT™ innovations and an advanced outsole tread system with an aggressive tread along the perimeter of the outsole and a highly slip-resistant tread along the mid-foot and heel, maximizing surface area contact, helping to prevent hydroplaning.

SERVUS PRO® AND SERVUS PRO+™ FEATURES

- TDT™ uses proprietary compound formulations for increased resistance to degradation from many harsh chemicals
- Injection molded PVC is seamless and 100% waterproof
- Extra thick toe and heel guards protect against abrasion and wear
- Removable PU Cushion insole contour cushion insoles provide all-day comfort and support
- Insoles are removable, washable and replaceable



75101 w/steel shank

ST
EH
WP
SR

Gray / Black, 15 in.

» Meets ASTM F2413-18 M I/C EH
» Meets ASTM 3345-21
» Men's Whole Sizes: 5-15
» Fits Women's Sizes: 5-12



75102 w/steel shank

PT
EH
WP
SR

Gray / Black, 15 in.

» Meets ASTM F2892-18 EH
» Meets ASTM 3345-21
» Men's Whole Sizes: 5-15
» Fits Women's Sizes: 5-12



75105 PRO+ w/steel shank

PT
WP
SR

Gray / Beige, 15 in.

» Meets ASTM F2413-18 M I/C EH
» Meets ASTM 3345-21
» Men's Whole Sizes: 5-15
» Fits Women's Sizes: 5-12





XTP® XTRA TRACTION™

Features TDT innovations and a compound blend engineered to withstand organic chemical deterioration common in poultry, fish processing, as well as oil rigs and general industrial applications. Self-cleaning outsole clears away debris with every step.

XTP® XTRA TRACTION FEATURES

The following features apply to all boots in this series:

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Outsole perimeter is formulated for tough, long-wearing support
- Center sole is dual compounded for cushioning, long wear and traction on slick surfaces
- Steel shank is longer, wider, and thicker for outstanding arch support
- Removable PU Cushion insole contour cushion insoles provide all-day comfort and support
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards

XTP® XTRA TRACTION



75108 w/steel shank

PT
WP
SR

Black / Gray, 15 in

» *Meets ASTM 3345-21*
» Men's whole sizes: 3-15
» Fits Women's sizes: 5-12



75109 w/steel shank

ST
EH
WP
SR

Black / Gray, 15 in.

» Meets ASTM F2413-18 M EH
» Meets ASTM 3345-21
» Men's Whole Sizes 3-15
»Fits Women's Sizes: 5-12

PVC INJECTION MOLDED SERIES

PVC INJECTION MOLDED

PVC injection molded boots feature exceptional comfort and function at a value price. Ideal for food processing, custodial, and general purpose industries.

PVC INJECTION MOLDED FEATURES

The following features apply to all boots in this series:

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- PVC formulation is resistant to degradation from agricultural chemicals, fertilizers and animal waste
- Flexible and durable upper allows for ease in movement for greater worker comfort
- Removable PU Cushion insole contour cushion insoles provide all-day comfort and support
- Reinforced construction at critical stress points provides a durable and long wearing boot
- Deep angle cleat outsole helps to grip slick surfaces to help vprevent slips and falls
- Easy guide along the shaft to customize the boot height



75145C

ST EH PR WP SR

Black / Orange, 15 in.

» Flexible steel midsole for puncture protection

» Meets ASTM F2413-18 M/I/C EH PR

» Meets CSA Grade 1 Steel Toe ESR PR

» Meets ASTM 3345-21

» Men's whole sizes: 7-14



MAX SERIES

Features TDT innovations and a compound blend engineered to withstand degradation from many harsh chemicals. Injection molded construction allows for a seamless, dual PVC outsole, the perimeter is formulated for abrasion and long wear, while the center sole is softer to allow more surface-to- surface contact to control traction on slick surfaces.



MAX SERIES SOLING TECHNOLOGY

- Outsole perimeter is formulated for tough, long-wearing support
- Center sole is dual compounded for cushioning, long wear and traction on slick surfaces
- Steel shank is longer, wider, and thicker for outstanding arch support
- Removable PU Cushion insole contour cushion insoles provide all-day comfort and support
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards

MAX SERIES



75122 w/steel shank

PT WP SR

Gray / Black, 15 in.

»Meets ASTM 3345-21

» Men's whole sizes: 3-15

» Fits Women's sizes: 5-12



75120 w/steel shank

PT WP SR

Olive / Brown, 15 in.

»Meets ASTM 3345-21

» Men's whole sizes: 3-15

» Fits Women's sizes: 5-12



75126

PT W SR

Navy / Black, 15 in.

»Meets ASTM 3345-21

» Fits Women's sizes: 5-11



75150

PT WP SR

White/ Beige Black, 12 in.

» ASTM F3445-21

»ASTM F2892-18 EH

» Fits Men's sizes: 5-15

»Non Marking Outsole

»Sole With thread for improved Slip resistant

PVC INJECTION MOLDED SERIES

PVC INJECTION MOLDED

PVC injection molded boots feature exceptional comfort and function at a value price. Ideal for food processing, custodial, and general purpose industries.



ST
EH
WP
SR

18821

Black, 14 in.

» Meets ASTM F2413-18 M/I/C EH
» Meets ASTM 3345-21
» Fits men's whole sizes: 3-15
» Fits women's sizes: 5-12



PT
EH
WP
SR

18822

Black, 14 in.

» Meets ASTM F2892-18 EH
» Meets ASTM 3345-21
» Fits men's whole sizes: 3-15
» Fits women's sizes: 5-12

PVC INJECTION MOLDED FEATURES

The following features apply to all boots in this series:

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- PVC formulation is resistant to degradation from agricultural chemicals, fertilizers and animal waste
- Flexible and durable upper allows for ease in movement for greater worker comfort
- Removable PU Cushion insole contour cushion insoles provide all-day comfort and support
- Reinforced construction at critical stress points provides a durable and long wearing boot
- Deep angle cleat outsole helps to grip slick surfaces to help prevent slips and falls
- Easy guide along the shaft to customize the boot height



ST
WP
SR

18835 w/steel shank

Yellow / Black, 14 in.

» Meets ASTM F2413-18 M/I/C
» Meets ASTM 3345-21
» Men's whole sizes: 3-15



SERVUS®

IRON DUKE® SERIES

Seamless, 100% waterproof PVC blend injection molded work boots that combine flexible, comfortable uppers with durable hard-wearing outsoles.Resistant to agricultural elements such as chemicals, fertilizers and animal waste. Designed to withstand colder temperatures with reinforced critical stress points for longer wear, and the easy guide along the shaft customizes the boot height



IRON DUKE® SERIES SOLING TECHNOLOGY

- Removable PU Cushion insole contour cushion insoles provide all-day comfort and support
- Reinforced construction at critical stress points provides a durable and long wearing boot
- Deep angle cleat outsole help to grip slick surfaces to help prevent slips and falls

IRON DUKE® SERIES





ST EH WP SR **18801** w/steel shank
Black / Gray, 15 in.
» Meets ASTM F2413-18 M/I/C EH
» Meets ASTM 3345-21
» Men's whole sizes: 5-13
» Fits Women's Sizes: 5-11

PT EH WP SR **18805**
Brown / Black, 15 in.
» Meets ASTM F2892-18 EH
» Meets ASTM 3345-21
» Men's whole sizes: 3-13
» Fits Women's sizes: 5-11



SF PVC OVERBOOTS

The SF overboot PVC compound is formulated for long-lasting wear and durability. Supersized SF overboots fit over large work and recreational footwear to protect them from liquids, dirt, mud and other deteriorating elements.

SF PVC OVERBOOT FEATURES

The following features apply to all boots in this series:

- 100% waterproof protection to keep work boots, and feet, dry
- Over-sized design to fit over work boots to protect them from harsh environments, increasing the longevity of expensive footwear
- Extra large molded kick-off lugs for easy, hands-free removal
- Boot buttons are molded to eliminate seams, providing waterproof protection
- Closure loops are tabbed to allow for easy, one-hand closure even when wearing gloves

SF PVC OVERBOOTS



WP SR **11001**
Chemical Overboot, Black, 12 in.
»Meets ASTM 3345-21
» Provides added protection in applications such as waste disposal and hazardous chemical handling
» 6 pair/case, bag
» Available in sizes: XS-XL



WP SR **11003**
Black, 4 in.
» SF PVC compounds allow for stretchy top and durable outso
»Meets ASTM 3345-21
» 12 pair/case, bag
» Available in sizes: XS-XL



11994

SR WP *Yellow, 4 in.*
» PVC compounds are injection-molded
»Meets ASTM 3345-21
» 12 pair/case, bag
» Available in sizes: XS-XL

Servus SF Overboot Size Conversions

Sizes	XS	S	M	L	XL
Fits Men's Sizes	4-5	6-8	9-10	1 1-1 3	14-15



76001

PT
Black , 8 in.

WP
» Meets ASTM F2892-18
»Meets ASTM 3345-21

SR
» Toddler Sizes 9-13
» Big Kids -1-5



76002

PT
Blue , 8 in.

WP
» Meets ASTM F2892-18
»Meets ASTM 3345-21

SR
» Toddler Sizes 9-13
» Big Kids -1-5



76003

PT
Olive , 8 in.

WP
» Meets ASTM F2892-18
» Meets ASTM 3345-21

SR
» Toddler Sizes 9-13
» Big Kids -1-5

KIDS

- 100% Waterproof
- Built with Farm Tough PVC
- Removable Comfort Insole

Ideal for chores, mud puddles, frog catching, and keeping your school shoes clean!





Address: 6611 Broughton Ave, Columbus, OH 43213 United States

Photography partner: CXG | contentEXP Group